



P
R
O
D
U
C
T

C A T A L O G U E



Piwonicka 1B street , 62-800 Kalisz
+48 62 766 30 11 | egkal@egkal.pl | www.egkal.pl

NEW PRODUCTS / LED MARKER LAMPS

VERSION I = SIDE POSITION LIGHT;
VERSION II = SIDE POSITION LIGHT WITH INDICATOR



ver. I
DLP3.2 (40.260)

ver. II
DLP3.2K (40.270)

18 LED
height 34 mm



ver. I
DLP3.1 (40.240)

ver. II
DLP3.1K (40.250)

18 LED
height 49 mm



ver. I
DLP3 (40.220)

ver. II
DLP3K (40.230)

18 LED
height 67 mm



ver. I
DLS3 (40.200)

ver. II
DLS3K (40.210)

18 LED
height 97 mm

WHITE LIGHT CAT. A | YELLOW LIGHT CAT. SM1 AND/OR SM1/5 |
RED CAT. R | IP 68 | PVC HOUSING | 9-33 V

NEW PRODUCTS / LED MARKER LAMPS

VERSION I = SIDE POSITION LIGHT;
VERSION II = SIDE POSITION LIGHT WITH INDICATOR

ver. I
DPB3 (40.320)

ver. II
DPB3K (40.330)

12 LED
height 63 mm



ver. I
DTB3 (40.340)

ver. II
DTB3K (40.350)

12 LED
height 63 mm



ver. I
PB3 (40.300)

ver. II
PB3K (40.310)

12 LED
height 63 mm



ver. I
TB3 (40.280)

ver. II
TB3K (40.290)

12 LED
height 63 mm



DPT3 (40.360)



12 LED
height 52 mm

WHITE LIGHT CAT. A | YELLOW LIGHT CAT. SM1 AND/OR SM1/5 |
RED LIGHT CAT. R | IP 68 | PVC HOUSING | 9-33 V

NEW PRODUCTS / LED POSITION LAMPS

VERSION I = SIDE POSITION LIGHT;
VERSION II = SIDE POSITION LIGHT WITH INDICATOR



A3 (40.480)

diameter of the inner part 42 mm
height 20 mm / 6 LED



**ver. I B3 (40.450)
ver. II B3K (40.460)**

diameter of the inner part 42 mm
height 20 mm / 6 LED



R3 (40.470)

diameter of the inner part 42 mm
height 20 mm / 6 LED



DPD3 (40.410)

height 20 mm / 6 LED



**ver. I DB3 (40.430)
ver. II DB3K (40.440)**

height 20 mm / 6 LED



DTD3 (40.420)

height 20 mm / 6 LED



DP3 (40.370)

diameter 42 mm
height 32 mm
6 LED



**ver. I BO3 (40.390)
ver. II BO3K (40.400)**

diameter 42 mm
height 32 mm
6 LED



DT3 (40.380)

diameter 42 mm
height 32 mm
6 LED

WHITE LIGHT CAT. A | YELLOW LIGHT CAT. SM1 AND/OR SM1/5 |
RED LIGHT CAT. R | IP 68 | PVC HOUSING | 9-33 V

NEON LED MARKER LAMPS

DLNA (11.288)

6 LED
diameter 70 mm
height 29 mm



DLNR (11.289)

6 LED
diameter 70 mm
height 29 mm



DLN (11.286)

12 LED
lampshade diameter 60 mm
height 55 mm



DIFFERENCE IN MOUNTING METHOD

DLN1 (11.287)

12 LED
lampshade diameter 60 mm
height 55 mm



NEON 6 LED

By using a special lampshade we have obtained the effect of neon, which is perfectly visible even in the most difficult weather conditions.

WHITE LIGHT CAT. A | RED LIGHT CAT. R | IP 68 | PVC HOUSING | 9-33 V

DLGO03 LED SERIES MARKER LAMPS



DLGO03 (12.100)

height 150 mm / 12 LED



DLGO03.1 (12.120)

height 102 mm / 12 LED



DLGO03.2 (12.140)

height 60 mm / 12 LED



DLGO03.3 (12.160)

height 160 mm / 12 LED



DLGO03.4 (12.180)

height 95 mm / 12 LED



DLGO03.5 (12.200)

height 95 mm / 12 LED

DLGO03.6 (12.220)

height 47 mm / 12 LED



DLGO02 LED SERIES MARKER LAMPS



DLGO02 (10.100)
height 150 mm / 2 LED



DLGO02.1 (10.120)
height 102 mm / 2 LED



DLGO02.2 (10.140)
height 60 mm / 2 LED



DLGO02.3 (10.160)
height 160 mm / 2 LED



DLGO02.4 (10.180)
height 95 mm / 2 LED



DLGO02.5 (10.200)
height 95 mm / 2 LED



DLGO02.6 (10.220)
height 47 mm / 2 LED



DLGO02.7 (10.240)
height 160 mm / 3 LED



DLGO02.7.1 (10.260)
height 60 mm / 3 LED

WHITE LIGHT CAT. A | YELLOW LIGHT CAT. SM1 | RED LIGHT CAT. R |
REFLECTOR CAT. IA | IP 68 | RUBBER HOUSING | 9-33 V

DLGO01 LED SERIES MARKER LAMPS



DLGO01 (9.100)
height 150 mm / 2 LED



DLGO01.1 (9.120)
height 102 mm / 2 LED



DLGO01.2 (9.140)
height 60 mm / 2 LED



DLGO01.3 (9.160)
height 160 mm / 2 LED



DLGO01.4 (9.180)
height 95 mm / 2 LED



DLGO01.5 (9.200)
height 95 mm / 2 LED



DLGO01.6 (9.220)
height 47 mm / 2 LED



DLGO01.7 (9.240)
height 160 mm / 3 LED



DLGO01.7.1 (9.260)
height 60 mm / 3 LED

WHITE LIGHT CAT. A | YELLOW LIGHT CAT. SM1 | RED LIGHT CAT. R |
REFLECTOR CAT. IA | IP 68 RUBBER HOUSING | 9-33 V

LED POSITION LAMPS WITH REFLECTOR

DLB1 (60.101)

1 LED
122 mm / 51 mm / 24 mm



DLZ1 (60.121)

1 LED
122 mm / 51 mm / 24 mm



DLB (60.100)

1 LED
104 mm / 51 mm / 24 mm



DLZ (60.120)

1 LED
104 mm / 51 mm / 24 mm



DLB2.1 (60.111)

10 LED
122 mm / 51 mm / 24 mm



DLZK2.1 (60.131)

10 LED
with indicator
122 mm / 51 mm / 24 mm



DLB2 (60.100)

10 LED
122 mm / 51 mm / 24 mm



DLZK2 (60.130)

10 LED
with indicator
122 mm / 51 mm / 24 mm



WHITE LIGHT CAT. A | YELLOW CAT. SM1 AND/OR SM1/5 |
CAT. IA | IP 68 | PVC HOUSING | 9-33 V

LED FRONT POSITION LAMPS

DLA (40.100)

1 LED
72 mm / 60 mm / 20 mm



DLA1 (40.101)

1 LED
57 mm / 41 mm / 20 mm



DLA2 (40.102)

6 LED
72 mm / 60 mm / 20 mm



DLA1.3 (40.104)

6 LED
57 mm / 41 mm / 20 mm



DLA3 (40.103)

6 LED
72 mm / 60 mm / 20 mm



WHITE LIGHT CAT. A | IP 68 | PVC HOUSING | 9-33 V

LED REAR POSITION LAMPS

DLR (40.120)

1 LED
72 mm / 60 mm / 20 mm



DLR1 (40.121)

1 LED
57 mm / 41 mm / 20 mm



DLR2 (40.122)

1 LED
72 mm / 60 mm / 20 mm



DLR1.3 (40.124)

6 LED
57 mm / 41 mm / 20 mm



DLR3 (40.123)

6 LED
72 mm / 60 mm / 20 mm



RED LIGHT CAT. R | IP 68 | PVC HOUSING | 9-33 V

DAYTIME RUNNING LAMPS

DLD2 (11.135.1)

6 LED
 średnica 70 mm
 wysokość 29 mm



DLD (11.120.1)

12 LED
 109 mm / 41 mm / 29 mm



DLD1 (11.130.1)

6 LED
 120 mm / 26 mm / 31 mm



DLDO (11.121.1)

12 LED
 130 mm / 61 mm / 43 mm



WHITE LIGHT CAT. RL | IP 68 | ABS HOUSING | 9-33 V |
 DO NOT REQUIRE INSTALLATION OF ADDITIONAL TRANSMITTERS

WORK LAMPS



DLRO (11.140)

35 LED
 162 mm / 120 mm / 42 mm



DLRO1 (11.141)

12 LED
 130 mm / 61 mm / 43 mm

LED REAR GROUPED LAMPS

DLC1 (11.251)



28 LED
reversing and position light
(cat. AR, R)
diameter 125 mm
height 36 mm

DPM1 (11.285)



28 LED
fog light and position light
(cat. F1, R)
diameter 125 mm
height 36 mm

DLTZ1 (11.151)



28 LED
brake, directional
and position (cat. S1, 2a, R)
diameter 125 mm
height 36 mm

IP 68 | ABS HOUSING | 9-33 V

DLTZ (11.150)



28 LED
brake, directional
and position (cat. S1, 2a, R)
145 mm / 100 mm / 40 mm

DMT1 (11.260)



6 LED
brake and position light
(cat. S1, R)
diameter 70 mm
height 29 mm

IP 68 | ABS AND/OR STAINLESS STEEL HOUSING | 9-33 V

LED TURN SIGNAL LAMPS

DMPK (11.270)
front indicator cat. 1

diameter 70 mm
height 29 mm



DMT2 (11.280)
rear indicator cat. 2a

diameter 70 mm
height 29 mm



DIFFERENT MOUNTING

DKPT1 (11.282)
front-rear indicator cat. 1/2a

height 55 mm
lampshade diameter 60 mm



DKPT (11.281)
front-rear indicator cat. 1/2a

height 55 mm
lampshade diameter 60 mm



YELLOW LIGHT CAT. 1/OR/AND 2a | IP 68 | PVC HOUSING | 9-33 V

OTHER LED LAMPS

DLC (11.250)
reverse lamp

6 LED
white light cat. AR
120 mm / 26 mm / 31 mm



DPM (11.284)
fog lamp

6 LED
red lamp cat. F1
diameter 70 mm
height 29 mm



LED AGRICULTURAL LAMPS

DLZR2 (50.240)



1 LED
72 mm / 60 mm / 20 mm

DLZR3 (50.230)



6 LED
72 mm / 60 mm / 20 mm

DLZR1.3 (50.244)



6 LED
57 mm / 41 mm / 20 mm

YELLOW CAT. SM1 | IP 68 | PVC HOUSING | 9-33V

DLGO02.3ZR (50.221)



1 LED
height 160 mm

DLGO03.3ZR (50.220)



6 LED
height 160 mm

YELLOW CAT. SM1 | IP 68 | RUBBER HOUSING | 9-33V

ON A SPECIAL ORDER IT IS POSSIBLE TO PRODUCE YELLOW-YELLOW AGRICULTURAL LAMPS WITH ANY OF THE DLGO01 SERIES HOUSINGS

LGO01 SERIES BULB MARKER LAMPS



LGO01 (3.100)

height 150 mm



LGO01.1 (3.120)

height 102 mm



LGO01.2 (3.140)

height 60 mm



LGO01.3 (3.160)

height 160 mm



LGO01.4 (3.180)

height 95 mm



LGO01.5 (3.200)

height 95 mm



LGO01.6 (3.220)

height 47 mm



LGO01.7 (3.240)

height 160 mm



LGO01.7.1 (3.260)

height 60 mm

WHITE LIGHT CAT. A | YELLOW LIGHT CAT. SM1 | RED LIGHT CAT. R |
REFLECTOR CAT. IA | BULB TYPE R5W | IP 68 | RUBBER HOUSING | 12/24 V

BULB POSITION LAMPS

LO2 (4.100)

133 mm / 52 mm / 32 mm



BLO2 (5.100)

100 mm / 52 mm / 32 mm



LO3 (4.120)

133 mm / 52 mm / 32 mm



BLO3 (5.120)

100 mm / 52 mm / 32 mm



LO4 (4.140)

133 mm / 52 mm / 32 mm



BLO4 (5.140)

100 mm / 52 mm / 32 mm



LO5 (4.160)

133 mm / 52 mm / 32 mm



BLO5 (5.160)

100 mm / 52 mm / 32 mm



WHITE LIGHT CAT. A | YELLOW LIGHT CAT. SM1 AND/OR SM1/5 |
 RED LIGHT CAT. R | BULB TYPE C5W | IP 68 | PVC HOUSING | 12/24 V

BULB POSITION LAMPS WITH REFLECTOR

LP1 (6.100)

97 mm / 45 mm / 25 mm



LP2 (6.120)

97 mm / 45 mm / 25 mm



LP1 (6.140) angle mount

101mm / 45 mm / 25 mm



LP2 (6.160) angle mount


101mm / 45 mm / 25 mm



WHITE LIGHT CAT. A | YELLOW LIGHT CAT. SM1 | REFLECTOR CAT. IA |
BULB TYPE C5W | IP 68 | PVC HOUSING | 12/24 V

ORIGINAL REPLACEMENT PARTS

There is a possibility to purchase original elements such as lampshades, bulb holders, housings and diode refills for our products.



Contact us for more details.

ABOUT US

We are a company with over thirty years of experience in the production of car lamps.

Our products are 100% Polish - put next to the products of other popular brands on our market, EGKAL's products lead the way through careful workmanship and high-quality Polish electronics that is consistent with UN requirements. Adhering to the standards, however using the full potential, our lamps are energy-efficient, they shine brightly and their color is beautifully saturated. We have our own laboratory, where new ideas for lamps are dynamically created - after being designed, they go straight to the production hall located right next door to our office.

EGKAL is a company with a tradition passed from generation to generation. The inspiration of our first designs can be seen in many current car lamp manufacturers, which indicates their timelessness and originality.



EGKAL. All rights reserved.
