

A modern hallway with a central door, plants, and recessed lighting. The door has a wood-grain finish and a silver handle. The walls are light-colored with a stone-like texture. The floor is polished and reflective. There are two large potted plants on either side of the door. The ceiling has several recessed lights.

DFM
DOORS

**STEEL DOORS
IN WOOD, STONE,
METAL-LIKE FINISH**

Enter and feel safe

In contemporary world safety is particularly highly appreciated.

Entrance door is not only the representation of the apartment, it is also its first line of security. The choice of proper door is crucial for the safety of its inhabitants as well as for their comfort and the aesthetics of the interior. The same applies for hotel and office spaces.

Addressing these needs, we created steel entrance doors in appearance of timber or stone or metal.

What are the distinctive features of doors DFM?

These unique characteristics constitute our competitive advantages:

- **INNOVATIVE**
light door leaf in aluminium door frame
- **HIGH STANDARD OF EQUIPMENT**
doors manufactured with stainless steel hardware
- **RESISTANT**
class 3 or 4 according to EN 1192
- **DURABLE**
durability of self-closing: 200.000 cycles
- **ACOUSTIC**
Rw = from 32 to 42 dB
- **RESISTANT TO CORROSION**
classes from C3 to C5(M)
- **THERMALLY INSULATED**
low U coefficients U (0,9-1,3 Wm²/K)

Doors type DFM DS are manufactured as:

- **FIRE RESISTANT** up to 120 minutes
- **BURGLAR RESISTANT** in classes RC2, RC3, RC4
- **BULLET RESISTANT** in classes FB4-FB7

DFM doors are tested and certified in European and global notified laboratories and certifying bodies, in concordance with relevant EU standards and foreign standards outside Europe.





Manufactured in any design, in patterns of wood, stone, concrete or metal.

Palette of selected designs



BURGLAR RESISTANT
in class RC3, RC4
(EN 1626)



FIRE RESISTANT
up to EI 120



RESISTANT TO UV RADIATION



LOW COEFFICIENT
0,9-1,3 W/m²K



WOOD-LIKE FINISH

				
light brown DS 716 + 2507/01	dark brown DS 775 + 2507/18	grey 9G-148-A009 + 2507/01	beige, pine tree DS 752 + 2117/23	dark brown, pine tree DS 775 + 2112/03
				
grey 8G-174-A005 + 2504/10	light brown, beech DS 716 + 1602/01	dark brown 8G-148-A009 + 2504/12	orange, oak DS 739 + 2301/02	white, oak DS-0704MS + 2308/24
				
light brown, stone 8G-148-A009 + 5024/06	light brown, stone DS 739 + 5024/05	grey, concrete 9C-016-A001 + 5026/04	black, concrete Mirror-107S + 5026/02	grey, granite Mirror-058S + 5014/01
				
grey, travertine DS-0408S + 5015/05	dark brown, travertine DS-0729S + 5015/08	grey, steel MirrorL-183S + 6053/01	blue, concrete Glass-004 + 5026/02	dark brown, ivory DS 750 + 2901/06

Beauty of wood, strength of steel

Steel doors DFM with wood-like or patterned finish feature the combination of mechanical strength and resistance to fire and forced entry with natural, elegant looks of organic materials.

This effect is achieved in the process of sublimation of top finish layer, thanks to patented technology Decoral®, the mission of which is to convert nature into technology.

The use of these environment-friendly powder coats and foils imitating natural materials makes DFM a responsible manufacturer and contributes to reduce forests cutting down.

Types of door frames

Depending on the interior design, expected aesthetics and functionality of a door, DFM offers miscellaneous types of door frames (aluminium or steel) patterned to match the door leaves in the required print.





www.dfm-doors.com

Sales and service in Poland: www.dfm-polska.com

International sales: www.dfm-europe.eu

DFM = DARE FOR MORE